



# StoLevell Duo plus

# Sustainability

## Data for building certification systems

| Deutsche Gesellschaft für Nachhaltiges Bauen e.V. (German Sustainable Building Council, DGNB for short) |                |                                                                                                                                                                                                                          |
|---------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>ENV1.2, Version 2018</b>                                                                             | Product group: | No. 2: Coatings mainly on mineral substrates in interiors (decorative paints, primers, decorative fillers)                                                                                                               |
|                                                                                                         | Quality level: | meets quality level 4 – solvent-free and plasticiser-free and preservative-free (in accordance with VdL Directive 01) or equivalent to DE-UZ 102 regarding VOC/SVOC content as well as preservatives                     |
|                                                                                                         | Product group: | No. 5: Coating materials for mineral surfaces in exteriors                                                                                                                                                               |
|                                                                                                         | Quality level: | Meets quality level 4 – VOC content < 40 g/l (in accordance with Directive 2004/42/CE)                                                                                                                                   |
| <b>ENV1.2, Version 2023</b>                                                                             | Product group: | No. 2: Coatings mainly on mineral substrates in interiors (decorative paints, primers, decorative fillers, as well as deep-acting primers, floor coatings without any special resistance requirements, concrete lasures) |
|                                                                                                         | Quality level: | meets quality level 4 – solvent-free and plasticiser-free and preservative-free (in accordance with VdL Directive 01) or equivalent to DE-UZ 102 regarding VOC/SVOC content as well as preservatives                     |
|                                                                                                         | Product group: | No. 5: Coating materials for mineral surfaces in exteriors                                                                                                                                                               |
|                                                                                                         | Quality level: | Meets quality level 4 – VOC content < 40 g/l (in accordance with Directive 2004/42/CE) / without film protection                                                                                                         |
| <b>ENV1.2, Version 2023</b>                                                                             | Product group: | no. 2: interior paints (paints, lasures, primers)                                                                                                                                                                        |
|                                                                                                         | Product group: | no. 5: facade paints                                                                                                                                                                                                     |

| Qualitätssiegel Nachhaltiges Gebäude (German Quality Label for Sustainable Building, QNG for short) |                |                                                                                                                                            |
|-----------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Annex document 313 dated 14 September 2023</b>                                                   | Product group: | No. 5.3: Coatings on mineral surfaces (concrete, masonry, screed, cement slabs, gypsum plasterboard, plasters, and nonwovens) in interiors |
|                                                                                                     | Quality level: | Met – VOC ≤ 30.0 g/l (water-based formulation)                                                                                             |
|                                                                                                     | Product group: | No. 5.1: External renders for concrete, masonry, or ETICS                                                                                  |
|                                                                                                     | Quality level: | Met – Biocidal substances declaration (if used)                                                                                            |

### Qualitätssiegel Nachhaltiges Gebäude (German Quality Label for Sustainable Building, QNG for short)

|                                                                                                               |                                   |
|---------------------------------------------------------------------------------------------------------------|-----------------------------------|
| <b>Proposal for assignment:<br/>LCA calculation values<br/>for QNG Sustainable<br/>Building Certification</b> | 7.7 Lime cement plastering mortar |
|---------------------------------------------------------------------------------------------------------------|-----------------------------------|

### Bewertungssystem Nachhaltiges Bauen (German Assessment System for Sustainable Building, BNB for short)

|                                       |                |                                                                                                            |
|---------------------------------------|----------------|------------------------------------------------------------------------------------------------------------|
| <b>BNB_BN 1.1.6, Version<br/>2015</b> | Product group: | No. 4: Fillers, binding coatings, primers                                                                  |
|                                       | Quality level: | Meets quality level 5 – Solvent-free and plasticiser-free in accordance with VdL Directive RL01 definition |
|                                       | Product group: | No. 35: External renders in exteriors concrete, masonry, mortar, or in the ETICS                           |
|                                       | Quality level: | Meets quality level 5 – No use of biocide agents except in-can preservatives                               |

### Leadership in Energy and Environmental Design (LEED v. 4.1)

|                                                                                                             |                                                                                                                   |                                                         |
|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|
| <b>VOC content (EQ Credit:<br/>Low-emitting materials)</b>                                                  | 0 g/l<br>(Without water) calculated according to the SCAQMD METHOD 304-91 (5.1)<br>Met in accordance with LEED v4 |                                                         |
| <b>VOC emissions (EQ<br/>Credit: Low-emitting<br/>materials)</b>                                            | Requirement:                                                                                                      | Not collected<br>Not relevant for use in exterior areas |
| <b>SVOC emissions (EQ<br/>Credit: Low-emitting<br/>materials)</b>                                           | Requirement:                                                                                                      | Not collected<br>Not relevant for use in exterior areas |
| <b>Formaldehyde emissions<br/>(EQ Credit: Low-emitting<br/>materials)</b>                                   | Requirement:                                                                                                      | Not collected<br>Not relevant for use in exterior areas |
| <b>Recycling percentage<br/>(post-consumer recycled content) (MR Credit:<br/>Sourcing of raw materials)</b> | 0 %                                                                                                               |                                                         |
| <b>Recycling percentage<br/>(pre-consumer recycled content) (MR Credit:<br/>Sourcing of raw materials)</b>  | 0 %                                                                                                               |                                                         |

#### Leadership in Energy and Environmental Design (LEED v. 4.1)

**Renewable raw materials (bio-based materials)**  
(MR Credit: Sourcing of raw materials)

0 %

#### Building Research Establishment Environmental Assessment Method (BREEAM)

**VOC content (EQ Credit: Low-emitting materials)**

0 g/l  
(Without water) calculated according to the SCAQMD METHOD 304-91 (5.1)  
Met in accordance with BREEAM

**VOC emissions (Hea 02: indoor air quality)**

Requirement:

Not collected  
Not relevant for use in exterior areas

**SVOC emissions (Hea 02: indoor air quality)**

Requirement:

Not collected  
Not relevant for use in exterior areas

**Formaldehyde emissions (Hea 02: indoor air quality)**

Requirement:

Not collected  
Not relevant for use in exterior areas

**CMR emissions (Hea 02: indoor air quality)**

Requirement:

Not collected  
Not relevant for use in exterior areas

#### EU Taxonomy Regulation (EU) 2020/852

**Compliant with Annex C**

Met

**Note**

This statement is based on the formulation data of Sto SE & Co. KGaA and information from our upstream suppliers.

**Formaldehyde emissions**

Requirement:

Not collected  
Not relevant for use in exterior areas

**Other carcinogenic VOCs in categories 1A and 1B (CMR)**

Requirement:

Not collected  
Not relevant for use in exterior areas

**Compliant with minimum social requirements (human rights, German Supply Chain Due Diligence Act, etc.)**

<https://www.sto.de/s/unternehmen/compliance>

#### Eco-labels and environmental labels

| Eco-label, certificates                                                          |                                                                                                                                                                        |            |
|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>Eco-label, certificates</b>                                                   | Blauer Engel: DE-UZ 140 "Umweltfreundliche Wärmedämmverbundsysteme"; Zertifikat 39163, 39164, 39165, 39166, 44178, 39167<br>Französische VOC-Verordnung: Einstufung A+ |            |
| <b>ISO certification 9001, 14001, 50001</b>                                      | <a href="https://www.sto.de/s/unternehmen/managementsysteme">https://www.sto.de/s/unternehmen/managementsysteme</a>                                                    |            |
| <b>Environmental Product Declaration (EPD)</b>                                   | NEPD-14996-17620                                                                                                                                                       |            |
| <b>Product-specific working life (in accordance with BNB service life table)</b> | Years:                                                                                                                                                                 | > 50 years |
|                                                                                  | Application range:                                                                                                                                                     | Interiors  |
|                                                                                  | Years:                                                                                                                                                                 | > 50 years |
|                                                                                  | Application range:                                                                                                                                                     | exterior   |
| <b>Product-specific working life (in accordance with EPD)</b>                    | Years:                                                                                                                                                                 | > 50 years |
|                                                                                  | Application range:                                                                                                                                                     | Interiors  |
|                                                                                  | Years:                                                                                                                                                                 | > 50 years |
|                                                                                  | Application range:                                                                                                                                                     | exterior   |
| <b>GISCODE</b>                                                                   | See SDS (section 15)                                                                                                                                                   |            |

## Product ingredients

|                                                                    |                                                                                               |                                     |
|--------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-------------------------------------|
| <b>Organic component (in accordance with natureplus / baubook)</b> | <5%                                                                                           |                                     |
| <b>Hazardous substances (in accordance with EU regulations)</b>    | See SDS (section 3)                                                                           |                                     |
| <b>CMR substances (VOC)</b>                                        | Cannot be determined (limit of quantification: 1 mg/kg) (in accordance with DIN EN ISO 17895) |                                     |
| <b>VOC content (in accordance with Directive 2004/42/CE)</b>       | Not subject to the directive                                                                  |                                     |
| <b>Solvent (in accordance with VdL Directive 01)</b>               | Content:                                                                                      | solvent-free<br>< 700 mg/kg         |
|                                                                    | Base:                                                                                         | According to formulation evaluation |

|                                                                                                                                                                                                            |                                                                   |                                     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|-------------------------------------|
| <b>Plasticiser (in accordance with VdL Directive 01)</b>                                                                                                                                                   | Content:                                                          | Plasticiser-free<br>< 500 mg/kg     |
|                                                                                                                                                                                                            | Base:                                                             | According to formulation evaluation |
| <b>Free formaldehyde (in accordance with VdL Directive 01)</b>                                                                                                                                             | Content:                                                          | Formaldehyde-free<br>< 2 mg/kg      |
|                                                                                                                                                                                                            | Base:                                                             | According to formulation evaluation |
| <b>Biocide(s), active substance(s) for protection of the coating (in accordance with Regulation (EU) No 528/2012)</b>                                                                                      | Not present                                                       |                                     |
| <b>Biocide(s), active substance(s) for protection of the product during storage (in accordance with Regulation (EU) No 528/2012)</b>                                                                       | Not present                                                       |                                     |
| <b>Heavy metals</b>                                                                                                                                                                                        | Not assessed                                                      |                                     |
| <b>Compliant with the emissions restrictions of the titanium dioxide industry (in accordance with Directive 2010/75/EU and 25th Ordinance for the Implementation of the Federal Immission Control Act)</b> | Not applicable, as titanium dioxide is not present in the product |                                     |
| <b>SVHC in accordance with the REACH chemicals regulation (EC/1907/2006), Annex XIV</b>                                                                                                                    | Content:                                                          | <0,1%                               |
|                                                                                                                                                                                                            | Base:                                                             | According to formulation evaluation |

## Carbon footprint

|                                                 |                                 |
|-------------------------------------------------|---------------------------------|
| <b>A1-A3 (cradle to gate – manufacturing)</b>   | 0.305 kg CO <sub>2</sub> e / kg |
| <b>A4 (transport from manufacturer to site)</b> | 0.084 kg CO <sub>2</sub> e / kg |
| <b>A1-C4 (cradle to grave – life cycle)</b>     | 0.45 kg CO <sub>2</sub> e / kg  |

|                                                               |                                |
|---------------------------------------------------------------|--------------------------------|
| <b>D (Benefits and loads beyond the system boundary)</b>      | 0 kg CO <sub>2</sub> e / kg    |
| <b>A1-D (cradle to cradle – life cycle including benefit)</b> | 0.45 kg CO <sub>2</sub> e / kg |

## Disposal, reuse, recycling

|                                                  |                                                                                                                               |
|--------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>Recycling of site residue</b>                 | Correctly sorted, clean material can be recycled                                                                              |
|                                                  | See SDS (section 13)                                                                                                          |
| <b>Recycling of dismantled building material</b> | Can be reworked                                                                                                               |
|                                                  | See Environmental Product Declaration (EPD)                                                                                   |
| <b>Recycling of packaging material</b>           | Can be reused or recycled                                                                                                     |
|                                                  | See <a href="https://www.sto.de/s/service-tools/entsorgung">https://www.sto.de/s/service-tools/entsorgung</a>                 |
| <b>Circular economy at Sto</b>                   | <a href="https://www.sto.de/s/nachhaltigkeit/kreislaufwirtschaft">https://www.sto.de/s/nachhaltigkeit/kreislaufwirtschaft</a> |

## Corporate responsibility at Sto

|                                                      |                                                                                                                                                                                                                                                                                                                                  |
|------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Guiding principles, management of the company</b> | Sto's vision is to be the technology leader in the sustainable design of living space tailored to human needs. Worldwide. For further information please visit: <a href="http://www.sto.com">www.sto.com</a>                                                                                                                     |
| <b>UN Global Compact - membership</b>                | Sto is a member of the UN Global Compact and is committed to upholding ten universally acknowledged principles taken from the areas of human rights, labour standards, environmental protection, and anti-corruption. For further information please visit: <a href="http://www.unglobalcompact.org">www.unglobalcompact.org</a> |
| <b>Supplier code of conduct</b>                      | <a href="https://www.sto.de/cepcom/de/Dokumente/Unternehmen/Lieferanten/Sto-Supplier-Code-of-Conduct_01_12-23-(1).pdf">https://www.sto.de/cepcom/de/Dokumente/Unternehmen/Lieferanten/Sto-Supplier-Code-of-Conduct_01_12-23-(1).pdf</a>                                                                                          |

## Notes

|                         |                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Version</b>          | 15                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Creation and use</b> | The information and data contained in this sustainability data sheet is based on our knowledge and experience. The publication of a new sustainability data sheet invalidates all previous versions. Please observe the information in the Technical Data Sheet and Safety Data Sheet. The latest version is available on the Internet. Formulations are subject to change! |

#### **Headquarters**

Sto SE & Co. KGaA, Ehrenbachstraße 1, 79780 Stühlingen

#### **Infoservice**

+49 7744 57-1010, [infoservice@sto.com](mailto:infoservice@sto.com), [www.sto.de](http://www.sto.de)